

上海亮企業有限公司

法蘭 JIS 10K FLANGES

尺寸	內徑	外徑	厚	座後	座徑	中心	孔大	孔數	螺絲
3/8	18	90	12	1	48	65	15	4	1/2
1/2	22.5	95	12	1	52	70	15	4	1/2
3/4	28	100	14	1	58	75	15	4	1/2
1	34.5	125	14	1	70	90	19	4	5/8
1 1/4	43.5	135	16	2	80	100	19	4	5/8
1 1/2	50	140	16	2	85	105	19	4	5/8
2	61.5	155	16	2	100	120	19	4	5/8
2 1/2	77.5	175	18	2	120	140	19	4	5/8
3	90	185	18	2	130	150	19	8	5/8
3 1/2	103	195	18	2	140	160	19	8	5/8
4	116	210	18	2	155	175	19	8	5/8
5	142	250	20	2	185	210	23	8	3/4
6	167	280	22	2	215	240	23	8	3/4
8	218	330	22	2	265	290	23	12	3/4
10	270	400	24	2	325	355	25	12	7/8
12	320	445	24	3	370	400	25	16	7/8
14	358	490	26	3	415	445	25	16	7/8
16	409	560	28	3	475	510	27	16	1
18	459	620	30	3	530	565	27	20	1
20	510	675	30	3	585	620	27	20	1
22	561	745	32	3	640	680	33	20	1 1/8
24	612	795	32	3	690	730	33	24	1 1/8

上亮企業有限公司

法蘭 JIS 16K FLANGES

尺寸	內徑	外徑	厚	座後	座徑	中心	孔大	孔數	螺絲
3/8	18	90	12	1	48	65	15	4	1/2
1/2	22.5	95	12	1	52	70	15	4	1/2
3/4	28	100	14	1	58	75	15	4	1/2
1	34.5	125	14	1	70	90	19	4	5/8
1 1/4	43.5	135	16	2	80	100	19	4	5/8
1 1/2	50	140	16	2	85	105	19	4	5/8
2	61.5	155	16	2	100	120	19	4	5/8
2 1/2	77.5	175	18	2	120	140	19	4	5/8
3	90	200	20	2	135	160	22	8	3/4
3 1/2	103	210	20	2	145	170	22	8	3/4
4	116	225	22	2	160	185	22	8	3/4
5	142	270	22	2	195	225	25	8	7/8
6	167	305	24	2	230	260	25	12	7/8
8	218	350	26	2	275	305	25	12	7/8
10	270	430	28	2	345	380	29	12	1
12	320	480	30	3	395	430	29	16	1
14	358	540	34	3	440	480	32	16	1 1/8
16	409	605	38	3	495	540	35	16	1 1/4
18	459	675	40	3	560	605	35	20	1 1/4
20	510	730	42	3	615	660	35	20	1 1/4
22	561	795	44	3	670	720	38	20	1 3/8
24	612	845	46	3	720	770	38	24	1 3/8

上亮企業有限公司

法蘭 JIS 20K FLANGES

尺寸	內徑	外徑	厚	座後	座徑	中心	孔大	孔數	螺絲
3/8	18	90	14	1	48	65	15	4	1/2
1/2	22.5	95	14	1	52	70	15	4	1/2
3/4	28	100	16	1	58	75	15	4	1/2
1	34.5	125	16	1	70	90	19	4	5/8
1 1/4	43.5	135	18	2	80	100	19	4	5/8
1 1/2	50	140	18	2	85	105	19	4	5/8
2	61.5	155	18	2	100	120	19	8	5/8
2 1/2	77.5	175	20	2	120	140	19	8	5/8
3	90	200	22	2	135	160	23	8	3/4
3 1/2	103	210	24	2	145	170	23	8	3/4
4	116	225	24	2	160	185	23	8	3/4
5	142	270	26	2	195	225	25	8	7/8
6	167	305	28	2	230	260	25	12	7/8
8	218	350	30	2	275	305	25	12	7/8
10	270	430	34	2	345	380	27	12	1
12	320	480	36	3	395	430	27	16	1
14	358	540	40	3	440	480	33	16	1 1/8
16	409	605	46	3	495	540	33	16	1 1/8
18	459	675	48	3	560	605	33	20	1 1/8
20	510	730	50	3	615	660	33	20	1 1/8
22	561	795	52	3	670	720	39	20	1 1/4
24	612	845	54	3	720	770	39	24	1 1/4

上亮企業有限公司

法蘭 ANSI 300LB FLANGES

尺寸	內徑	外徑	總厚	座徑	後座徑	中心	孔大	孔數	螺絲
1/2	22.2	89	22.2	35	38	66.5	15	4	1/2
3/4	27.7	98	25.4	43	48	82.5	19	4	5/8
1	34.5	108	27	51	54	89	19	4	5/8
1 1/4	43.5	117	27	64	64	98.5	19	4	5/8
1 1/2	49.5	127	30.2	73	70	114.5	19	4	5/8
2	61.5	152	33.3	92	84	127	22	8	3/4
2 1/2	77.5	178	38.1	105	100	149	22	8	3/4
3	90	210	42.9	127	117	168	22	8	3/4
3 1/2	103	229	44.5	140	133	184	22	8	3/4
4	115.4	254	47.6	157	146	200	22	8	3/4
5	142	279	50.8	186	178	235	22	8	3/4
6	167	318	52.4	216	206	270	22	12	3/4
8	218.5	381	61.9	270	260	330	25	12	7/8
10	270.1	444	66.7	324	321	387	29	16	1
12	321.7	521	73	381	375	451	32	16	1 1/8
14	359.2	584	76.2	413	425	514.5	32	20	1 1/8
16	410.5	648	82.6	470	483	571.5	35	20	1 1/4
18	461.8	711	88.9	533	533	628.5	35	24	1 1/4
20	513.1	775	95.2	584	587	686	35	24	1 1/4
24	615.7	914	106.4	692	702	813	41	24	1 1/4

上亮企業有限公司

法蘭 德規 DIN16 FLANGES

尺寸	內徑	外徑	總厚	中心	孔大	孔數	螺絲
1/2	22.5	95	14	65	15	4	1/2
3/4	28	105	16	75	15	4	1/2
1	34.5	115	16	85	15	4	1/2
1 1/4	43.5	140	16	100	19	4	5/8
1 1/2	50	150	16	110	19	4	5/8
2	61.5	165	18	125	19	4	5/8
2 1/2	77.5	185	18	145	19	4	5/8
3	90	200	20	160	19	8	5/8
4	116	200	20	180	19	8	5/8
5	142	250	22	210	19	8	5/8
6	167	285	22	240	23	8	3/4
8	218	340	24	295	23	12	3/4
10	270	450	26	355	27	12	3/4
12	320	460	28	412	27	12	3/4